

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
Ravi Iyer

Serial No.: 09/059,865

Filed: April 14, 1998

For: PLANARIZATION USING PLASMA
OXIDIZED AMORPHOUS SILICON



§
§
§
§
§
§
§
§
§
§

Group Art Unit: 2813

Examiner: Nguyen, T.

Atty Docket: MICS:0015--2/FLE
93-118.02

AF
GAU 2813
#11 Appeal
Brief
T. T. Hs
9-17-99

Assistant Commissioner
for Patents
Washington, D.C. 20231

CERTIFICATE OF TRANSMISSION AND MAILING 37 C.F.R. 1.8	
I hereby certify that this correspondence is being transmitted by facsimile to the United States Patent and Trademark Office in accordance with 37 C.F.R. 1.6(d) and is being deposited with the U.S. Postal Service as First Class Mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231, on the date below:	
September 7, 1999 Date	 Michael G. Fletcher

Sir:

APPEAL BRIEF PURSUANT TO 37 C.F.R. §§ 1.191 AND 1.192

This Appeal Brief is being filed in triplicate in furtherance to the Notice of Appeal mailed on May 25, 1999, and received on June 7, 1999.

RECEIVED
SEP 16 1999
TC 200 MAIL ROOM

1. **REAL PARTY IN INTEREST**

The real party in interest is Micron Technology, Inc., the Assignee of the above-referenced application by virtue of the Assignment recorded at reel 8190, frame 0268, and dated February 12, 1996.

2. **RELATED APPEALS AND INTERFERENCES**

Appellant is unaware of any other appeals or interferences related to this Appeal. The undersigned is Appellant's legal representative in this Appeal.

11/06/2000 11:00:00 AM 133092 09059865 30000 CH 01 FC:120

Micron Technology, Inc., the

Assignee of the above-referenced application, as evidenced by the documents mentioned above, will be directly affected by the Board's decision in the pending appeal.

3. STATUS OF CLAIMS

Claims 12-23 have twice been rejected and, thus, are the subject of this appeal.

4. STATUS OF AMENDMENTS

No final rejection has been issued, and there are no outstanding amendments that have not been entered.

5. SUMMARY OF THE INVENTION AND OF THE DISCLOSED EMBODIMENTS

Referring to Fig. 6, many semiconductor processes involve the deposition of a blanket layer 602, such as silicon, over protruding device features 601. Page 13, lines 20-22. As illustrated in Fig. 7, the layer 602 is patterned and etched to clear areas where the layer 602 is not needed -- to expose source or drain regions on either side of a gate electrode, for instance. Page 13, lines 22-29. This removal process often leaves undesirable residue, typically referred to as "stringers," that is difficult to remove without damaging the adjacent structures. Page 13, line 29, to page 14, line 2. However, if this material is non-dielectric in nature, it may cause gate leakage. Page 14, lines 16-19. Therefore, rather than risk damaging the adjacent structures by attempting to remove these stringers, Appellant instead oxidizes or nitridizes the undesirable non-dielectric stringers to form innocuous dielectric material that need not be removed. Page 14, lines 3-21; Fig. 8.

6. **ISSUES**

Issue No. 1:

Whether claims 12-23 are unpatentable under 35 U.S.C. 103(a) as being obvious over the Kim '637 reference in view of the Matsuoka '508 reference.

Issue No. 2:

Whether claims 12-23 are unpatentable under the judicially created doctrine of obviousness-type double patenting over claims 1-22 of U.S. Patent No. 5,872,052.

7. **GROUPING OF CLAIMS**

Independent claims 12 and 18 will stand or fall separately. Dependent claims 13-17 will stand or fall with independent claim 12. Dependent claims 19-23 will stand or fall with independent claim 18.

8. **ARGUMENT**

As discussed in detail below, Appellant respectfully submits that the Examiner has misinterpreted clear claim language and misapplied long standing principles of law in formulating and maintaining the outstanding rejection. Thus, Appellant respectfully requests that the Board favorably consider the remarks set forth below, withdraw the outstanding rejection, and allow claims 12-23.

Issue No. 1

In the present rejection, the Examiner relied on a misplaced interpretation of certain claim terms that were explained more fully in the previous rejection. Therefore, before discussing the present rejection, Appellant believes that it may be helpful for the Board to consider the previous rejection and Appellant's response.

In the First Official Action, the Examiner rejected claims 12-16 and 18-22 under 35 U.S.C. § 102(e) as being anticipated by the Kim patent. Specifically, the Examiner asserted that the silicon spacers disclosed in the Kim patent are "the same as applicant's non-dielectric stringers."

In response, Appellant noted that "spacers" and "stringers" are terms of art that denote two different structures. As known to those skilled in the art, and as discussed in detail in the above-referenced application, e.g., pages 13 and 14, "stringers" are small, undesirable residuals that are typically left in creases on a substrate after an etching process. "Spacers," on the other hand, are desirable features that are specifically designed and fabricated for various purposes by those of ordinary skill in the art. In short, in the context of the rejected claims, these two terms are *not* the same, equivalent, or interchangeable.

As specifically noted in regard to independent claim 12, none of the references of record disclose or suggest the removal of a portion of a layer of non-dielectric material, leaving stringers of the dielectric material in the creases on the integrated circuit, and converting these stringers of non-dielectric material into a dielectric material. As stated in the application beginning on page

13, line 29, the complete removal of these residual stringers is difficult without damaging the structure or topology of protruding features of the integrated circuit. However, in the prior art, a lose-lose situation existed because residual non-dielectric stringers, such as polysilicon stringers, may cause undesirable gate leakage. *See* page 14, lines 16-21. The subject matter set forth in claim 12 solves this problem by converting the stringers of non-dielectric material into a dielectric material. Because none of the prior art of record, either alone or in combination, discloses or suggests the method set forth in independent claim 12, Appellant argued that claims 12-17 were patentable over the prior art of record.

As further noted in regard to independent claim 18, none of the references of record, either alone or in combination, disclose or suggest the attempted removal of non-dielectric material from creases where the removal method leaves undesirable residual non-dielectric material in some of the creases, along with the conversion of the undesirable residual non-dielectric material into a dielectric material. Appellant amended claims 18, 22, and 23 to clarify that this residual non-dielectric material is undesirable, unlike the desirable spacers disclosed in the Kim patent that are specifically designed and engineered to form a particular structure which performs a specific purpose. As discussed above in regard to claim 12, Appellant has solved the problem by converting the undesirable non-dielectric material that may adversely affect the ultimate functioning of the circuit into an innocuous dielectric material. Since none of the prior art of record discloses the problem, much less the solution to the problem as set forth in independent claim 18, Appellant argued that claims 18-23 were patentable over the prior art of record.

The Board should be aware that the Examiner withdrew the rejection under Section 102 in view of these arguments. However, the Examiner maintained a rejection under Section 103. Specifically, in the Second Official Action which is the subject of this appeal, the Examiner rejected claims 12-23 under 35 U.S.C. § 103(a) as being obvious over the Kim patent in view of the Matusoka patent. Specifically, the Examiner stated:

Kim teaches a method of manufacturing an integrated circuit comprising the steps of: forming features on a substrate, the features protruding from the substrate to create creases adjacent the features (12, 13, 14), depositing a layer of non-dielectric material (stringer) (18, silicon) over the features and the creases, removing a portion of the non-dielectric material from the creases using a given method, leaving undesirable residual non-dielectric material in some of the creases, and converting the undesirable residual non-dielectric material in the creases into a dielectric material (22, oxide) (see figures 1-2, col. 2, lines 50-68).

However, the reference does not teach removing a portion of the non-dielectric material, and nitridizing the non-dielectric material.

It is well-known in the art to form a non-dielectric material (silicon) over the protruding on substrate.

Therefore, it would have been obvious to one of ordinary skill in the requisite art at the time of the invention was made to remove a portion of the non-dielectric material to left the undesirable residual because the technique is well-known in the art.

Matsuoka et al teaches that silicon nitride side walls may be used, rather than silicon oxide (see column 16, lines 10-15).

Therefore, it would have been obvious to one of ordinary skill in the requisite art at the time of the invention was made to provide silicon nitride sidewall, in place of oxide sidewalls, in the Kim process, as taught by Matsuoka et al because it is shown that it is known in the art that silicon nitride function effectively as a sidewall and because silicon nitride is a better diffusion barrier and etch stop than silicon oxide and would therefore better protect the gate electrode.

In response to Appellant's previous arguments, the Examiner further stated:

Applicant contends that none of the reference teaches the stringers (spacers 18) are undesirable features. In response to applicant, it is asserted that the conductive stringers (spacers, 18) are known to be undesirable features that causes shorts with conductor (21) and therefore it would have been obvious to the artisan to form oxide by oxidizing the stringers (spacers, 18).

Appellant respectfully traverses this rejection. The burden of establishing a *prima facie* case of obviousness falls on the Examiner. *Ex parte Wolters and Kuypers*, 214 U.S.P.Q. 735 (PTO Bd. App. 1979). Obviousness cannot be established by combining the teachings of the prior art to produce the claimed invention absent some teaching or suggestion supporting the combination. *ACS Hospital Systems, Inc. v. Montefiore Hospital*, 732 F.2d 1572, 1577, 221 U.S.P.Q. 929, 933 (Fed. Cir. 1984). Accordingly, to establish a *prima facie* case, the Examiner must not only show that the combination includes *all* of the claimed elements, but also a convincing line of reason as to why one of ordinary skill in the art would have found the claimed invention to have been obvious in light of the teachings of the references. *Ex parte Clapp*, 227 U.S.P.Q. 972 (B.P.A.I. 1985). When prior art references require a selected combination to render obvious a subsequent invention, there must be some reason for the combination other than the hindsight gained from the invention itself, i.e., something in the prior art as a whole must suggest the desirability, and thus the obviousness, of making the combination. *Uniroyal Inc. v. Rudkin-Wiley Corp.*, 837 F.2d 1044, 5 U.S.P.Q.2d 1434 (Fed. Cir. 1988).

As can be seen from this rejection, the Examiner has merely relied on the Matusoka patent to teach that silicon nitride sidewalls may be used instead of the silicon oxide sidewalls disclosed in the Kim patent. The Examiner has maintained reliance on the Kim patent for the remainder of the claimed subject matter and has continued improperly to equate the “spacers” of the Kim patent with the “stringers” and “undesirable residual non-dielectric material” set forth in independent claims 12 and 18, respectively.

However, as discussed above, the Kim patent is not directed to the treatment of undesirable residue as set forth in the rejected claims. Rather, the Kim patent clearly discloses a method that *uses a spacer* for forming a self-aligned contact. Kim, col. 1, lines 9-12. During the formation of the contact, “*silicon spacer 18 ... is formed by common spacer-forming methods at the side wall of the gate electrode 13 and upper surface of the interlayer oxide 14.*” Kim, col. 2, lines 51-54; Fig. 1B (emphasis added). Thereafter, a mask 20 is formed and various layers are etched subsequent to filling the contact hole 10 with metal wiring 21. Kim, col. 3, lines 1-23; Figs. 1C and 1D. The Kim patent describes the advantages of “reducing the contact area due to the increase of contact mask tolerance for making the contact hole by forming a silicon spacer ... [and] thermally oxidizing the part or the whole of the above-said silicon spacer.” Kim, col. 4, lines 1-8. Thus, the Kim patent unquestionably discloses that a “spacer” is a desirable feature that is purposefully manufactured and used to produce a contact having certain advantages over conventional contacts.

As can be seen, the actual disclosure of the Kim patent illuminates the speciousness of the Examiner's attempts to equate Kim's silicon spacers 18 with the claimed "stringers" and "undesirable non-dielectric material." Clearly, Kim's silicon spacers 18 are neither. Thus, Appellant respectfully asks the Board to note that the Examiner's interpretation of the Kim reference is inaccurate and nothing more than a blatant and improper usage of hindsight.

Like the Kim patent, the Matusoka patent is also not related to problems arising from undesirable non-dielectric residuals remaining after an etching step. Therefore, the addition of the Matusoka patent to the present combination does not cure the deficiencies of the Kim patent highlighted above. Accordingly, even if the Examiner can combine these references, the combination still fails to disclose or suggest that a nitridizing or an oxidizing method may be used to convert undesirable non-dielectric residue, such as stringers, into innocuous dielectric material as claimed. Indeed, the Board should note that those skilled in the art attempt to *prevent* formation of these undesirable residuals through improved etching techniques, rather than rendering the undesirable residuals harmless after formation as disclosed and claimed by Applicant.

In view of the remarks set forth above, Appellant respectfully submits that the Examiner has failed to demonstrate a prima facie case of obviousness as required. Specifically, the Examiner has misinterpreted the Kim patent and the pending claims, apparently due to an improper use of hindsight. Therefore, Appellant respectfully requests that the Board withdraw the outstanding rejection and allow claims 12-23.

Issue No. 2:

The Examiner has also rejected claims 12-23 based on the judicially created doctrine of obviousness-type double patenting in view of U.S. Patent No. 5,872,052. Specifically, the Examiner stated:

The subject matter claimed in the instant application is fully disclosed in the patent and is covered by the patent since the patent and the application are claiming common subject matter, as follows: a method of manufacturing an integrated circuit, depositing a layer of non-dielectric material (silicon) over the substrate and remove the substrate leaving the residual non-dielectric material, converting the non-dielectric residual material into dielectric material.

Furthermore, there is no apparent reason why applicant was prevented from presenting claims corresponding to those of the instant application during prosecution of the application which matured into a patent. See *In re Schneller*, 397 F.2d 350, 158 USPQ 210 (CCPA 1968). See also MPEP § 804.


Although Appellant disagrees with this rejection, Appellant recognizes that filing a Terminal Disclaimer to obviate this rejection will facilitate the prompt issuance of a patent without any real loss of patent term or other rights for the assignee. Specifically, it is noted that the present application is a continuation of application Serial No. 08/599,675, filed on February 12, 1996, which issued as the '052 patent. Thus, under 35 U.S.C. § 154, the term of both the '052 patent and any patent issuing from the present application is set to expire twenty years from the date of the earliest original filing, i.e., February 12, 1996, regardless of whether a Terminal Disclaimer is filed. Although the Terminal Disclaimer further requires that the assignee maintain common ownership of these three patents, the assignee has no intention of dividing ownership in any event. Therefore, should the Board withdraw the outstanding rejection and allow claims 12-

23 as respectfully urged herein, Appellant will file an appropriate Terminal Disclaimer to obviate this remaining rejection.

The Commissioner is authorized to charge \$410.00 (for the requisite fee of \$300.00 plus \$110.00 for the one-month extension of time), and any additional fees which may be required, to Deposit Account No. 13-3092; Order No. MICS:0015--2/FLE (93-118.02).

Respectfully submitted,

Date: September 7, 1999



Michael G. Fletcher
Reg. No. 32,777
FLETCHER, YODER & VAN SOMEREN
P.O. Box 692289
Houston, TX 77269-2289
(281) 970-4545

9. **APPENDIX OF CLAIMS ON APPEAL**

12. A method of manufacturing an integrated circuit, the method comprising the steps of:

- (a) forming features on a substrate, the features protruding from the substrate to create creases adjacent the features;
- (b) depositing a layer of non-dielectric material over the features and the creases;
- (c) removing a portion of the layer of non-dielectric material, leaving stringers of the non-dielectric material in the creases; and
- (d) converting the stringers of non-dielectric material in the creases into a dielectric material.

13. The method, as set forth in claim 12, wherein step (a) comprises the step of forming gate electrodes protruding from the substrate.

14. The method, as set forth in claim 12, wherein step (b) comprises the step of depositing a layer of silicon over the features and the creases.

15. The method, as set forth in claim 12, wherein step (c) comprises the step of etching the portion of the layer of non-dielectric material.

16. The method, as set forth in claim 12, wherein step (d) comprises the step of oxidizing the stringers.

17. The method, as set forth in claim 12, wherein step (d) comprises the step of nitridizing the stringers.

18. A method of manufacturing an integrated circuit, the method comprising the steps of:

- (a) forming features on a substrate, the features protruding from the substrate to create creases adjacent the features;
- (b) depositing a layer of non-dielectric material over the features and the creases;
- (c) removing a portion of the non-dielectric material from the creases using a given method, the given method leaving undesirable residual non-dielectric material in some of the creases; and

- (d) converting the undesirable residual non-dielectric material in the creases into a dielectric material.

19. The method, as set forth in claim 18, wherein step (a) comprises the step of forming gate electrodes protruding from the substrate.

20. The method, as set forth in claim 18, wherein step (b) comprises the step of depositing a layer of silicon over the features and the creases.

21. The method, as set forth in claim 18, wherein the given method comprises an etching method.

22. The method, as set forth in claim 18, wherein step (d) comprises the step of oxidizing the undesirable residual non-dielectric material.

23. The method, as set forth in claim 18, wherein step (d) comprises the step of nitridizing the undesirable residual non-dielectric material.